



- GENERAL NOTES REGARDING FIRE EXTINGUISHERS (F/E):**
1. FIRE EXTINGUISHERS PROVIDED AS SHOWN IN CONFORMANCE WITH CANULC-5503
 2. 2 CLASS A F/E WITH 2A RATING PROVIDED WITH EACH PUBLIC
 3. CORRIDOR MOUNTED NOT MORE THAN 1.5m ABOVE FINISHED FLOOR.
 4. MAXIMUM TRAVEL DISTANCE TO A F/E IS 25m.
 5. COVERAGE FOR EACH AT 800sm.
 6. MECHANICAL / ELECTRICAL ROOM, & ELEVATOR MACHINE ROOM PROVIDED WITH 1 CLASS C F/E (5C RATING)
- F/E - DENOTES - FIRE EXTINGUISHER

NO.	REVISIONS	DATE	BY
11	ISSUED FOR CONSTRUCTION	JAN. 31/19	GN
10	ISSUED FOR SURVEYOR LAYOUT	OCT. 25/18	GN
9	ISSUED FOR TENDER AND BUILDING PERMIT-TOWN OF BROCK	JULY 25/18	GN
8	ISSUED FOR ROOF TRUSS LAYOUT	JUNE 10/18	GN
7	ISSUED FOR COORDINATION	JUNE 5/18	GN
6	REVISIONS TO SUITE LAYOUTS	JUNE 5/18	GN
5A	ISSUED FOR COORDINATION	MAY 14/18	GN
5	ISSUED FOR COORDINATION	APR. 2/18	GN
4	ISSUED FOR COORDINATION	JAN. 24/18	GN
3	ISSUED FOR SITE PLAN APPLICATION	FEB. 21/18	GN
2	ISSUED FOR CLIENT REVIEW	FEB. 15/18	GN
1	ISSUED FOR CLIENT REVIEW	SEP. 14/17	GN

"ALL DRAWINGS, SPECIFICATIONS AND RELATED DOCUMENTS ARE THE COPYRIGHT PROPERTY OF THE ARCHITECT AND MUST BE RETURNED UPON REQUEST. REPRODUCTION OF DRAWINGS, SPECIFICATIONS AND RELATED DOCUMENTS IN PART OR WHOLE IS FORBIDDEN WITHOUT THE ARCHITECT'S WRITTEN PERMISSION. DRAWINGS SHALL NOT BE SCALED"

CONTRACTOR MUST CHECK AND VERIFY ALL DIMENSIONS ON THE JOB

NATALE ARCHITECT INC.
Suite 208
2444 Dundas St. West
Toronto, Ontario
M6P 6G3
Tel: (416) 233-0207
Fax: (416) 233-0207

ONTARIO ASSOCIATION
OF ARCHITECTS
GRAND NATALE
JUNE 1884
JAN. 31/19

PROJECT:
**NEW 2 STOREY BUILDING:
SENIORS RESIDENCE
100 MCKAY STREET
GANNINGTON, ONTARIO**

DRAWING:
GROUND FLOOR PLAN

THIS DRAWING SHALL NOT BE USED FOR CONSTRUCTION UNLESS COUNTERSIGNED BY:

DRAWN BY: nm	CHECKED BY: GN
DATE AUG. 2017	SCALE AS NOTED
PROJECT NO. 16-16	DRAWING NO. A3